

1.1. Badilini F, Vaglio M, Dubois R, Roussel P, Sarapa N, Denjoy I, Extramiana F, Maison-Blanche P

Automatic analysis of cardiac repolarization morphology using Gaussian mesa function modeling
Journal of Electrocardiology 2008

1.2. Bloomfield DM, Kost JT, Ghosh K, Hreniuk D, Hickey LA, Guitierrez MJ, Gottesdiener K, , Wagner JA

The effect of Moxifloxacin on QTc and Implications for the Design of Thorough QT studies
Clinical Pharmacology and therapeutics, Oct 2008, 84(4): 475-480

1.3. Hingorani, P, Karnad DR, Panicker GK, Deshmukh S, Kothari S, Narula D

Differences between QT and RR intervals in digital and digitized paper electrocardiograms: contribution of the printer, scanner, and digitization process.
Journal of Electrocardiology 2008, 41 : 370-375

1.4. Natekar M, Mahajan V, Satra A, O'Kelly M, Karnad DR

Use of ANOVA to estimate inter and intra-reader variability for a group of readers in Thorough QT/QTc studies
Clinical Pharmacology and therapeutics, Mar 2008, 83(3): 489-603

1.5. Serano M, Brunello A, Chiappori A, Barriuso J, Casado E, Belda C, De Castro J, Feliu J, Gonzalez-Baron M

Cardiac toxicity : old and new issues in anti-cancer drugs.
Clin Transl Oncol 2008 10 : 35-46

1.6. Sethuraman V, Sun Q

Impact of baseline ECG collection on the planning, analysis and interpretation of "thorough" QT trials
Pharmaceut. Statist. 2008, SOI : 10.1002

1.7. Extramiania F,Badilini F, Sarapa N, Leenhardt A, Maison-Blanche P

Contrasting time and rate based approaches for the assessment of drug induced QT changes
J Clin Pharmacol 2007; 47 : 1129-1137

1.8. Badilini F, Sarapa N

Implications of methodological differences in digital electrocardiogram interval measurement.
J Electrocardiol. 2006 Oct; 39(4 Suppl) : S152-6.

1.9. Darpo B, Agin M, Kazierad DJ, Layton G, Muirhead G, Gray P, Jorkasky DK

Man versus machine: is there an optimal method for QT measurements in thorough QT studies?
J Clin Pharmacol. 2006 Jun; 46(6): 598-612.

1.10. Darpo B, Nebout T, Sager PT

Clinical evaluation of QT/QTc prolongation and proarrhythmic potential for nonantiarrhythmic drugs: the International Conference on Harmonization of Technical Requirements for Registration of Pharmaceuticals for Human Use E14 guideline.
J Clin Pharmacol. 2006 May; 46(5): 498-507.

1.11. Health Canada guidelines

Guide for the Analysis and Review of QT/QTc Interval - November, 2006.

1.12. Extramiana F, Maison-Blanche P, Hagguy A, Badilini F, Beaufils P, Leenhardt A

Control of rapid heart rate changes for electrocardiographic analysis: implications for thorough QT studies.
Clin Cardiol 2006; 29: 534-539

1.13. Sadanaga T, Sadanaga F, Yao H, Fujishima M.

An evaluation of ECG leads used to assess QT prolongation.
Cardiology. 2006; 105(3): 149-54.

1.14. Sadanaga T, Sadanaga F, Yao H, Fujishima M.

An evaluation of ECG leads used to assess QT prolongation.
Cardiology. 2006; 105(3):149-54.

1.15. AFSSAPS

Recommandations sur la conduite des essais cliniques portant sur les médicaments non arythmiques augmentant l'intervalle QT
Novembre 2005

1.16. Extramiana F, Denjoy I, Badillini F, Chabani I, Neyroud N, Berthet M, Fressard V, Guicheney P, Beaufils P, Leenhardt A, Coumel P, Maison-Blanche P

Heart rate influences on repolarization duration and morphology in symptomatic versus asymptomatic KCNQ1 mutation carriers
The American Journal of cardiology, 2005 – Feb; 95 :406-409

1.17. Extramiana F, Maison-Blanche P, Badilini F, Beaufils P, Leenhardt A

Individual QR-R-R Relationship: average stability over time does not rule out an individual residual variability : implication for the assessment of drug effect on the QT interval
A.N.E. 2005; 10(2): 169-178

1.18. Extramiana F, Maison-Blanche P, Cabanis MJ, Ortemann-Renon C, Beaufils P, Leenhardt A

Clinical assessment of drug induced QT prolongation in association with heart rate changes.
Clinical Pharmacology and therapeutics 2005 : 77(4) : 247-58

1.19. Milliez P, Leenhardt A, Maison-Blanche P, Vicaut E, Badilini F, Siliste C, Benchetrit C, Coumel P

Usefulness of ventricular repolarization dynamicity in predicting arrhythmic deaths in patients with ischemic cardiomyopathy (from the European Myocardial Infarct Amiodarone Trial).
The American Journal of cardiology, 2005 – April; 95 :821-826

1.20. Batchvarov VN, Ghuran A, Smetana P, Hnatkova K, Harries M, Dilaveris P, Camm AJ, Malik M.

QT-RR relationship in healthy subjects exhibits substantial intersubject variability and high intrasubject stability.
Am J Physiol Heart Circ Physiol. 2002 Jun; 282(6): H2356-63.

1.21. Bland J.M. and Altman D.G.

Statistical methods for assessing agreement between two methods of clinical measurement.
Lancet 1986, I: 307-310.